

Scan results for [www.healidaho.com](http://www.healidaho.com)

# Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Wed Jan 28, 2026

| # | Element                                                                                                                                                                           | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 1 | The alt attribute is used to provide a text alternative for images. It is not meant to be used on elements other than images and therefore will not be read using screen-readers. | Yes      | 7         | 0        | 100   |

### Code snapshots of successful elements

1 `We are closed on all major holidays.</span>
```

| # | Element                                                                    | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------|----------|-----------|----------|-------|
| 3 | An iframe needs a label that describes its purpose to screen reader users. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 4 | Ambiguous links like "Learn More", "Shop Now" and "Start Here" are often used as a call to action. However, screen-reader users, while using link navigation, do not interact with content above or below the link and therefore don't have the same context as to what they will learn more about. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 5 | Using role="application" is generally discouraged because it disables standard screen reader modes and forces users into an application mode. This removes familiar navigation shortcuts, such as heading or landmark navigation, and requires them to interact in ways they may not expect. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 6 | Discounted prices often appear next to the original and distinguished with visual cues like strikethroughs or color changes. Both prices must also be conveyed by screen readers in a way that enables users to differentiate between the values, ensuring they can understand when a discount is applied. | No       | 0         | 0        |       |

| # | Element                                                                                                                                 | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 7 | Elements with strong importance should have the strong role. If not, screen reader users may not understand the importance of the text. | Yes      | 0         | 26       | 0     |

### Code snapshots of failed elements

1 `<span class="color_36 wixui-rich-text__text">Now Accepting New Patients!</span>`

2 `<span class="color_36 wixui-rich-text__text">Serving ID, WA, OR, UT and MT</span>`

3 `<span style="letter-spacing:normal;" class="wixui-rich-text__text">Prescription medication management and ongoing monitoring.</span>`

4 `<span style="letter-spacing:normal;" class="wixui-rich-text__text">Vitamins, minerals and other natural treatment options.</span>`

5 `<span style="letter-spacing:normal;" class="wixui-rich-text__text">Assessment and interventions to utilize nutrition, movement and self-care to promote wellbeing.</span>`

6 `<span class="color_36 wixui-rich-text__text">We're bringing flavors from the east - to your plate.</span>`

7 `<span class="color_36 wixui-rich-text__text">I'm a paragraph. Click here to add your own text and edit me. It's easy. Just click "Edit Text" or double click me to add your own content and make changes to the font. Feel free to drag and drop me anywhere...`

8 `<span style="font-size:16px;" class="wixui-rich-text__text">We specialize in a variety of mental health conditions and holistic treatment options for diagnoses such as:</span>`

9 `<span style="font-size:16px;" class="wixui-rich-text__text">Anxiety</span>`

10

```
<span style="font-size:16px;" class="wixui-rich-text__text">Depression</span>
```

| # | Element                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | If content remains visible on the screen but assigned aria-hidden="true", it will be excluded from the accessibility tree. As a result, screen reader users will not have access to the same information as sighted users. | Yes      | 370       | 4        | 99    |

### Code snapshots of successful elements

1 `<div id="SITE_CONTAINER"><div id="main_MF" class="main_MF"><div id="SCROLL_TO_TOP" class="Vd6aQZ ignore-focus SCROLL_TO_TOP" role="region" tabindex="-1" aria-label="top of page"><span class="mHZSwN">top of page</span></div><button id="SKIP_TO_CONTENT...`

2 `<div id="main_MF" class="main_MF"><div id="SCROLL_TO_TOP" class="Vd6aQZ ignore-focus SCROLL_TO_TOP" role="region" tabindex="-1" aria-label="top of page"><span class="mHZSwN">top of page</span></div><button id="SKIP_TO_CONTENT_BTN" class="SKIP_TO_CONT...`

3 `<div id="pageBackground_ioiyq" data-media-height-override-type="" data-media-position-override="false" class="pageBackground_ioiyq BmZ5pC"><div id="bgLayers_pageBackground_ioiyq" data-hook="bgLayers" data-motion-part="BG_LAYER pageBackground_ioiyq" c...`

4 `<div id="bgLayers_pageBackground_ioiyq" data-hook="bgLayers" data-motion-part="BG_LAYER pageBackground_ioiyq" class="MW5IwV"><div data-testid="colorUnderlay" class="LWbAav Kv1aVt"></div><div id="bgMedia_pageBackground_ioiyq" data-motion-part="BG_MEDI...`

5 `<div id="site-root" class="site-root"><div id="masterPage" class="mesh-layout masterPage css-editing-scope"><header id="SITE_HEADER" class="xU8fqS SITE_HEADER wixui-header" tabindex="-1"><div class="_C0cVf"><div class="_4XcTfy" data-testid="screenWid...`

6 `<div id="masterPage" class="mesh-layout masterPage css-editing-scope"><header id="SITE_HEADER" class="xU8fqS SITE_HEADER wixui-header" tabindex="-1"><div class="_C0cVf"><div class="_4XcTfy" data-testid="screenWidthContainerBg"></div></div><div class=...`

7 `<header id="SITE_HEADER" class="xU8fqS SITE_HEADER wixui-header" tabindex="-1"><div class="_C0cVf"><div class="_4XcTfy" data-testid="screenWidthContainerBg"></div></div><div class="U4Bvut"><div class="G5K6X8"><div class="gUbusX" data-testid="screenWi...`

- 8 `<div class="_C0cVf"><div class="_4XcTfy" data-testid="screenWidthContainerBg"></div></div>`
- 9 `<div class="U4Bvut"><div class="G5K6X8"><div class="gUbusX" data-testid="screenWidthContainerBgCenter"></div></div><div class="CJF7A2"><div data-mesh-id="SITE_HEADERinlineContent" data-testid="inline-content"><div data-mesh-id="SITE_HEADERinlineConte...`
- 10 `<div class="G5K6X8"><div class="gUbusX" data-testid="screenWidthContainerBgCenter"></div></div>`

### Code snapshots of failed elements

- 1 `<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 85.5 160.001 29" viewBox="20 85.5 160.001 29" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="presentation" aria-hidden="true" aria-label=""><defs><style>#comp...`
- 2 `<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 32.274 159.999 145.454" viewBox="20 32.274 159.999 145.454" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="presentation" aria-hidden="true" aria-label=""><def...`
- 3 `<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 85.5 160.001 29" viewBox="20 85.5 160.001 29" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="presentation" aria-hidden="true" aria-label=""><defs><style>#comp...`
- 4 `<iframe role="presentation" style="visibility: hidden; pointer-events: none; position: fixed;"></iframe>`

| # | Element                                                                                                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available. | Yes      | 26        | 6        | 81    |

### Code snapshots of successful elements

1 `<svg data-dom-store="" style="display:none"><defs id="dom-store-defs"></defs></svg>`

2 `<span class="mHZSw">top of page</span>`

3 `<div data-mesh-id="comp-ks4fj7fkinlineContent-gridContainer" data-testid="mesh-container-content"></div>`

4 `<div data-mesh-id="comp-ks4fmckqinlineContent-gridContainer" data-testid="mesh-container-content"></div>`

5 `<ul aria-hidden="true" style="display:none"><li><a data-testid="linkElement" href="https://www.healidaho.com/financial" target="_self" tabindex="-1">Financial</a></li></ul>`

6 `<li><a data-testid="linkElement" href="https://www.healidaho.com/financial" target="_self" tabindex="-1">Financial</a></li>`

7 `<a data-testid="linkElement" href="https://www.healidaho.com/financial" target="_self" tabindex="-1">Financial</a>`

8 `<li id="comp-kqf2pjwt__more__" data-direction="ltr" data-listposition="right" data-state="menu false header" data-index="__more__" data-dropdown="false" class="p90CkU xTjc1A" data-original-gap-between-text-and-btn="10" aria-hidden="true" style="height...`

- 9 

```
<div data-testid="linkElement" class="UiHgGh" tabindex="0" aria-haspopup="true"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjwt__more__label" tabindex="-1">More</p></div></div></div>
```
- 10 

```
<div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjwt__more__label" tabindex="-1">More</p></div></div>
```

### Code snapshots of failed elements

- 1 

```
<div id="SCROLL_TO_TOP" class="Vd6aQZ ignore-focus SCROLL_TO_TOP" role="region" tabindex="-1" aria-label="top of page"><span class="mHZSwN">top of page</span></div>
```
- 2 

```
<span style="font-size:16px;" class="wixui-rich-text__text"><span class="wixui-rich-text__text"></span></span>
```
- 3 

```
<span style="font-size:16px;" class="wixui-rich-text__text"><span class="wixui-rich-text__text"></span></span>
```
- 4 

```
<span style="font-size:16px;" class="wixui-rich-text__text"><span class="wixui-rich-text__text"></span></span>
```
- 5 

```
<span style="font-size:16px;" class="wixui-rich-text__text"><span class="wixui-rich-text__text"></span></span>
```
- 6 

```
<div id="SCROLL_TO_BOTTOM" class="Vd6aQZ ignore-focus SCROLL_TO_BOTTOM" role="region" tabindex="-1" aria-label="bottom of page"><span class="mHZSwN">bottom of page</span></div>
```

| #  | Element                                                                                                              | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 10 | Buttons that do not contain visible text should be assigned labels that inform screen reader users of their purpose. | Yes      | 2         | 0        | 100   |

#### Code snapshots of successful elements

1 `<button id="SKIP_TO_CONTENT_BTN" class="SKIP_TO_CONTENT_BTN LHrbPP has-custo  
m-focus" tabindex="0">Skip to Main Content</button>`

2 `<button class="_pfxlw" aria-label="More About pages"><svg width="10" height  
="10" viewBox="0 0 16 11" fill="black" xmlns="http://www.w3.org/2000/svg"><p  
ath d="M8 10.5L16 1.86193L14.7387 0.5L8 7.77613L1.26133 0.499999L-5.95321e-0  
8 1.86193L8 10.5Z"></pa...`

| #  | Element                                                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 11 | If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions. | Yes      | 2         | 0        | 100   |

#### Code snapshots of successful elements

1 `<button id="SKIP_TO_CONTENT_BTN" class="SKIP_TO_CONTENT_BTN LHrbPP has-custo  
m-focus" tabindex="0">Skip to Main Content</button>`

2 `<button class="_pfxlw" aria-label="More About pages"><svg width="10" height  
="10" viewBox="0 0 16 11" fill="black" xmlns="http://www.w3.org/2000/svg"><p  
ath d="M8 10.5L16 1.86193L14.7387 0.5L8 7.77613L1.26133 0.499999L-5.95321e-0  
8 1.86193L8 10.5Z"></pa...`

| #  | Element                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 12 | A sticky footer remains anchored to the bottom of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 13 | Activating anchor links enables users to navigate to a different section within the same page by scrolling and moving keyboard focus. Anchor links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                           | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 14 | Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning <code>aria-current='page'</code> to the link. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 15 | Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context. | Yes      | 13        | 0        | 100   |

### Code snapshots of successful elements

1 `<a href="https://www.healidaho.com" target="_self" class="wixui-rich-text__text"><span style="letter-spacing:normal;" class="wixui-rich-text__text"><span class="color_36 wixui-rich-text__text">Now Accepting New Patients!</span></span></a>`

2 `<a data-testid="linkElement" href="https://www.healidaho.com" target="_self" class="aeyn4z"><div data-testid="svgRoot-comp-kqz4bomx" class="VDJedC l4CAh n"><!--?xml version="1.0" encoding="UTF-8"?--> <svg preserveAspectRatio="xMidYMid meet" data-bbox=...`

3 `<a data-testid="linkElement" href="https://www.healidaho.com" target="_self" class="UiHgGh" aria-current="page"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw0label" style="line-height: 50px;">Home</p></div></div></a>`

4 `<a data-testid="linkElement" href="https://www.healidaho.com/about" target="_self" class="UiHgGh" aria-expanded="false" aria-haspopup="true"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw1label" style="line-height: 50px;">About</p></div>...`

5 `<a data-testid="linkElement" href="https://www.healidaho.com/services" target="_self" class="UiHgGh"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw2label" style="line-height: 50px;">Services</p></div></div></a>`

6 `<a data-testid="linkElement" href="https://www.healidaho.com/about-4" target="_self" class="UiHgGh"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw3label" style="line-height: 50px;">New Patients</p></div></div></a>`

7 `<a data-testid="linkElement" data-anchor="anchors-lxir9f35" href="https://www.healidaho.com" target="_self" class="UiHgGh"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw4label" style="line-height: 50px;">Contact</p></div></div></a>`

8 <a data-testid="linkElement" href="https://pp-wfe-101.advancedmd.com/account/logon?lk=153554" target="\_blank" rel="noreferrer noopener" class="uDw\_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Existing Patient Portal Login"><span class="l...

9 <a data-testid="linkElement" href="https://pp-wfe-101.advancedmd.com/account/logon?lk=153554" target="\_blank" rel="noreferrer noopener" class="uDw\_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="New Patient Appointment Booking"><span class=...

10 <a data-testid="linkElement" href="http://www.healmamanw.com" target="\_blank" rel="noreferrer noopener" class="StylableButton2545352419\_\_root style-mkyce110\_\_root wixui-button StylableButton2545352419\_\_link" aria-label="Heal Mama"><span class="Stylab...

| #  | Element                                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 16 | Activating navigation links enables users to navigate to a different page within the site. Links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination. | Yes      | 15        | 0        | 100   |

### Code snapshots of successful elements

```
1 <a href="https://www.healidaho.com" target="_self" class="wixui-rich-text__text"><span style="letter-spacing:normal;" class="wixui-rich-text__text"><span class="color_36 wixui-rich-text__text">Now Accepting New Patients!</span></span></a>
```

```
2 <a data-testid="linkElement" href="https://www.healidaho.com" target="_self" class="aeyn4z"><div data-testid="svgRoot-comp-kqz4bomx" class="VDJedC l4CAh n"><!--?xml version="1.0" encoding="UTF-8"?--> <svg preserveAspectRatio="xMidYMid meet" data-bbox=...
```

```
3 <a data-testid="linkElement" href="https://www.healidaho.com" target="_self" class="UiHgGh" aria-current="page"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw0label" style="line-height: 50px;">Home</p></div></div></a>
```

```
4 <a data-testid="linkElement" href="https://www.healidaho.com/about" target="_self" class="UiHgGh" aria-expanded="false" aria-haspopup="true"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw1label" style="line-height: 50px;">About</p></div>...
```

```
5 <a data-testid="linkElement" href="https://www.healidaho.com/services" target="_self" class="UiHgGh"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw2label" style="line-height: 50px;">Services</p></div></div></a>
```

```
6 <a data-testid="linkElement" href="https://www.healidaho.com/about-4" target="_self" class="UiHgGh"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw3label" style="line-height: 50px;">New Patients</p></div></div></a>
```

```
7 <a data-testid="linkElement" data-anchor="anchors-lxir9f35" href="https://www.healidaho.com" target="_self" class="UiHgGh"><div class="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjw4label" style="line-height: 50px;">Contact</p></div></div></a>
```

8 <a data-testid="linkElement" href="https://pp-wfe-101.advancedmd.com/account/logon?lk=153554" target="\_blank" rel="noreferrer noopener" class="uDw\_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Existing Patient Portal Login"><span class="l...

9 <a data-testid="linkElement" href="https://pp-wfe-101.advancedmd.com/153554/online-scheduling/v2/patients" target="\_blank" rel="noreferrer noopener" class="uDw\_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Book Now"><span class="l7\_2fn wix...

10 <a data-testid="linkElement" data-anchor="anchors-m87yojqv1" href="https://www.healidaho.com" target="\_self" class="uDw\_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Learn More"><span class="l7\_2fn wixui-button\_\_label">Learn More</span></...>

| #  | Element                                                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 17 | In most cases, using role=menu on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 18 | In most cases, using role=menubar on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 19 | In most cases, using ARIA menu roles within a web page can negatively impact screen reader users, especially those using JAWS. role="menuitem" should be used for menu items in menu types that function like those found in desktop applications. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 20 | Interactive elements that trigger additional content should only have relationship and state ARIA attributes, such as aria-expanded and aria-controls, if they have interactive roles, such as button, tab, combobox and in rarer cases, link. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <a data-testid="linkElement" href="https://www.healidaho.com/about" target
  ="_self" class="UiHgGh" aria-expanded="false" aria-haspopup="true"><div clas
  s="yRj2ms"><div><p class="JS76Uv" id="comp-kqf2pjwt1label" style="line-heigh
  t: 50px;">About</p></div>...</div>
```

| #  | Element                                               | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------|----------|-----------|----------|-------|
| 21 | Make sure that no element has an autofocus attribute. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 22 | Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A checkbox control without an identifiable label may prevent screen reader users from completing the form. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 23 | Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 24 | Adding type="submit" to a control that submits a form ensures that screen readers users expect a change of context when they activate the control. | No       | 0         | 0        |       |

| #  | Element                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 25 | Main navigation elements should have role navigation to ensure that screen readers can identify them as navigation regions. | Yes      | Pass      | -        | 100   |

Code snapshots of successful elements

1

```
<nav class="R_TAzU" id="comp-kqf2pjwtnavContainer" aria-label="Site"><ul cla
ss="y7qwii" id="comp-kqf2pjwtitemsContainer" style="text-align:center" data-
marginallchildren="true"><li id="comp-kqf2pjwt0" data-direction="ltr" data-l
istposition="left" dat...
```

| #  | Element                                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 26 | Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A radio control without an identifiable label may prevent screen reader users from completing the form. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 27 | If a field is marked as required only through visual cues, but lacks the required attribute or aria-required="true", screen readers will not announce it as mandatory. As a result, users may experience unnecessary delays or confusion when trying to submit the form. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 28 | Using an <article> tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 29 | A breadcrumb region presents a trail of links showing the user's current page in relation to higher-level pages on a site. Without a label, it may be announced by screen readers simply as "navigation", making it hard to distinguish from other navigation regions on the page. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 30 | Screen readers rely on accurate tagging and labeling to provide necessary context. If an element that does not contain navigation links is tagged as a navigation landmark, screen reader users may lose orientation and find the page's structure difficult to understand. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <nav class="R_TAzU" id="comp-kqf2pjwtnavContainer" aria-label="Site"><ul class="y7qwii" id="comp-kqf2pjwtitemsContainer" style="text-align:center" data-marginallchildren="true"><li id="comp-kqf2pjwt0" data-direction="ltr" data-listposition="left" dat...
```

| #  | Element                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 31 | The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <main id="PAGES_CONTAINER" class="PAGES_CONTAINER" tabindex="-1" data-main-content="true"><div id="SITE_PAGES" class="JsJXaX SITE_PAGES"><div id="SITE_PAGES_TRANSITION_GROUP" class="AnQkDU"><div id="ioiyq" class="dBAkHi theme-vars ioiyq"><div class="...
```

| #  | Element                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 32 | Incorrectly tagging the main landmark may cause screen reader users to misunderstand where the primary content begins or ends, leading to confusion and inefficient navigation. | Yes      | Pass      | -        | 100   |

Code snapshots of successful elements

1

```
<main id="PAGES_CONTAINER" class="PAGES_CONTAINER" tabindex="-1" data-main-content="true"><div id="SITE_PAGES" class="JsJXaX SITE_PAGES"><div id="SITE_PAGES_TRANSITION_GROUP" class="AnQkDU"><div id="ioiyq" class="dBAkHi theme-vars ioiyq"><div class="...
```

| #  | Element                                                                                                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 33 | A page typically presents one central subject, so a single main landmark establishes the boundaries of the primary content for screen reader users. Multiple main landmarks create uncertainty about the scope, leading to confusion and difficulty navigating the page. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 34 | Screen reader users rely on landmarks to quickly access important regions of a page. Defining a form as a search landmark ensures that users can quickly recognize and navigate to the search form. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 35 | Smaller graphics used as decorative or complementary elements, such as icons, and that do not provide additional information will often add unnecessary clutter to a screen reader user's browsing experience. | Yes      | 2         | 1        | 67    |

#### Code snapshots of successful elements

```
1 <img sizes="undefinedpx" srcset="https://static.wixstatic.com/media/23fd2a2be53141ed810f4d3dcdcd01fa.png/v1/fill/w_25,h_25,al_c,q_85,usm_0.66_1.00_0.01,enc_avif,quality_auto/23fd2a2be53141ed810f4d3dcdcd01fa.png 1x, https://static.wixstatic.com/media/...
```

```
2 <img sizes="undefinedpx" srcset="https://static.wixstatic.com/media/81af6121f84c41a5b4391d7d37fce12a.png/v1/fill/w_25,h_25,al_c,q_85,usm_0.66_1.00_0.01,enc_avif,quality_auto/81af6121f84c41a5b4391d7d37fce12a.png 1x, https://static.wixstatic.com/media/...
```

#### Code snapshots of failed elements

```
1 <svg width="10" height="10" viewBox="0 0 16 11" fill="black" xmlns="http://www.w3.org/2000/svg"><path d="M8 10.5L16 1.86193L14.7387 0.5L8 7.77613L1.2613 3 0.499999L-5.95321e-08 1.86193L8 10.5Z"></path></svg>
```

| #  | Element                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 36 | Images require a text alternative when the image conveys meaningful content or serves a functional purpose. If the image is decorative, it must be hidden from assistive technology. | Yes      | 14        | 0        | 100   |

### Code snapshots of successful elements

1 `<svg preserveAspectRatio="xMidYMid meet" data-bbox="-37.5 -37.5 450 450" height="500" viewBox="-37.5 -37.5 450 450" width="500" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Heal PLLC logo"> <g> <defs> <clipPath id="15a4...`

2 `<def...`

4 `<svg preserveAspectRatio="xMidYMid meet" data-bbox="39.5 20 121 160" viewBox="39.5 20 121 160" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Medical cross with surrounded by leaves"><defs><style>...`

5 `<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 35.998 159.998 128.002" viewBox="20 35.998 159.998 128.002" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Mortar and pestle with leaves at t...`

6 `<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 49 159.999 102" viewBox="20 49 159.999 102" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Stacked rocks with flowers at the base"><defs><sty...`

7 ` <g> <path d="M200 100c0 55.228-44.772 100-100 100S0 155.228 0 100 44..."`

9 ` <g> <defs> <clipPath id="15a4...
```

```
2 <def...
```

```
4 <svg preserveAspectRatio="xMidYMid meet" data-bbox="39.5 20 121 160" viewBox="39.5 20 121 160" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Medical cross with surrounded by leaves"><defs><style>...
```

```
5 <svg preserveAspectRatio="xMidYMid meet" data-bbox="20 35.998 159.998 128.002" viewBox="20 35.998 159.998 128.002" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Mortar and pestle with leaves at t...
```

```
6 <svg preserveAspectRatio="xMidYMid meet" data-bbox="20 49 159.999 102" viewBox="20 49 159.999 102" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Stacked rocks with flowers at the base"><defs><sty...
```

7  <g> <path d="M200 100c0 55.228-44.772 100-100 100S0 155.228 0 100 44..."

9  <g> <defs> <clipPath id="15a4...
```
- 2 

```
<svg preserveAspectRatio="xMidYMid meet" data-bbox="45.454 20 109.092 160.002" viewBox="45.454 20 109.092 160.002" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Wavy arrow pointing downward"><def...
```
- 3 

```
<svg preserveAspectRatio="xMidYMid meet" data-bbox="39.5 20 121 160" viewBox="39.5 20 121 160" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Medical cross with surrounded by leaves"><defs><style>...
```
- 4 

```
<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 35.998 159.998 128.002" viewBox="20 35.998 159.998 128.002" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Mortar and pestle with leaves at t...
```
- 5 

```
<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 49 159.999 102" viewBox="20 49 159.999 102" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Stacked rocks with flowers at the base"><defs><sty...
```
- 6 

```
<svg preserveAspectRatio="xMidYMid meet" data-bbox="20 20 160 160" viewBox="20 20 160 160" height="200" width="200" xmlns="http://www.w3.org/2000/svg" data-type="color" role="img" aria-label="Homepage"><defs><style>#comp-kqz4y1wa svg [data-color="1"]...
```

| #  | Element                                           | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------|----------|-----------|----------|-------|
| 39 | A slider should be operable with a single pointer | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 40 | Aria labels should describe elements that don't have proper text, like icons and field labels. It should not be used to override element texts. Screen reader users need to receive the exact text as visually on the screen, with more context if it is ambiguous. An exception applies to landmarks such as nav or other landmarks: here, ARIA labels can provide additional context or clarification. | Yes      | 5         | 1        | 83    |

#### Code snapshots of successful elements

```
1 <a data-testid="linkElement" href="https://pp-wfe-101.advancedmd.com/account/logon?lk=153554" target="_blank" rel="noreferrer noopener" class="uDW_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Existing Patient Portal Login"><span class="l...
```

```
2 <a data-testid="linkElement" href="tel:208-261-2411" class="uDW_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Call 208-261-2411"><span class="l7_2fn wixui-button__label">Call 208-261-2411</span></a>
```

```
3 <a data-testid="linkElement" href="https://pp-wfe-101.advancedmd.com/153554/online-scheduling/v2/patients" target="_blank" rel="noreferrer noopener" class="uDW_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Book Now"><span class="l7_2fn wix...
```

```
4 <a data-testid="linkElement" data-anchor="anchors-m87yojqv1" href="https://www.healidaho.com" target="_self" class="uDW_Qe wixui-button PlZyDq" aria-disabled="false" aria-label="Learn More"><span class="l7_2fn wixui-button__label">Learn More</span></...>
```

```
5 <a data-testid="linkElement" href="http://www.healmamanw.com" target="_blank" rel="noreferrer noopener" class="StylableButton2545352419__root style-mkyce110__root wixui-button StylableButton2545352419__link" aria-label="Heal Mama"><span class="Stylab...
```

#### Code snapshots of failed elements

```
1 <a data-testid="linkElement" href="https://pp-wfe-101.advancedmd.com/account/logon?lk=153554" target="_blank" rel="noreferrer noopener" class="uDw_Qe wixui-button PLZyDq" aria-disabled="false" aria-label="New Patient Appointment Booking"><span class=...
```

| #  | Element                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 41 | A sticky header remains anchored to the top of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                           | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 42 | An empty list will still be announced by screen readers, which may confuse users, leaving them unsure if the list is empty or an issue prevents the screen reader from announcing the list items. | Yes      | 4         | 0        | 100   |

### Code snapshots of successful elements

1 `<ul class="y7qwii" id="comp-kqf2pjwitemsContainer" style="text-align:center" data-marginallchildren="true"><li id="comp-kqf2pjwt0" data-direction="ltr" data-listposition="left" data-data-id="dataItem-kqf7xatc" data-state="menu selected link" data-in...`

2 `<ul class="font_8 wixui-rich-text__text" style="font-size:16px;"> <li style="line-height:1.8em;" class="wixui-rich-text__text"> <p class="font_8 wixui-rich-text__text" style="font-size:16px; line-height:1.8em;"><span style="font-size:16px;" class="wi...`

3 `<ul class="font_8 wixui-rich-text__text" style="font-size:16px;"> <li style="line-height:1.8em;" class="wixui-rich-text__text"> <p class="font_8 wixui-rich-text__text" style="font-size:16px; line-height:1.8em;"><span style="font-size:16px;" class="wi...`

4 `<ul class="mpGTIt" aria-label="Social Bar"><li id="dataItem-kqfa2kcn2-comp-kqfa2kcn" class="06KwRn"><a data-testid="linkElement" href="https://www.facebook.com/healnorthwest" target="_blank" rel="noreferrer noopener" class="oRtuWN" aria-label="Facebo...`

| #  | Element                                                                                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 43 | Specifying a default page language ensures screen readers apply the correct pronunciation rules, voices, and braille output. Without it, screen readers may guess the language incorrectly, causing mispronunciations, confusion, and reduced comprehension for users. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <html lang="en" style=""><head> <meta charset="utf-8"> <meta name="viewport"
  content="width=device-width, initial-scale=1" id="wixDesktopViewport"> <meta
  http-equiv="X-UA-Compatible" content="IE=edge"> <meta name="generator" conte
  nt="Wix.com Website ...
```

| #  | Element                                                                                                                                                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 44 | The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1" id="wixD
  esktopViewport">
```

| #  | Element                                                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 45 | A <meta> element with http-equiv="refresh" is sometimes used to automatically redirect users after a time delay. These timed changes can interrupt and disorient users who rely on assistive technology | No       | 0         | 0        |       |

| #                                                                   | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 46                                                                  | A missing page title makes it difficult for screen reader users and sighted users with multiple tabs open to identify the page, reducing orientation and usability. | Yes      | Pass      | -        | 100   |
| <b>Code snapshots of successful elements</b>                        |                                                                                                                                                                     |          |           |          |       |
| <div>1&lt;title&gt;Heal   Psychiatric treatment&lt;/title&gt;</div> |                                                                                                                                                                     |          |           |          |       |

| #                                             | Element                                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 47                                            | Screen readers rely heavily on page titles to announce the purpose of a page. If titles aren't descriptive, users with low or no vision may not understand the context until they start navigating the page. | Yes      | Pass      | -        | 100   |
| Code snapshots of successful elements         |                                                                                                                                                                                                              |          |           |          |       |
| 1 <title>Heal   Psychiatric treatment</title> |                                                                                                                                                                                                              |          |           |          |       |

| #  | Element                                                                                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 48 | A tablist without role="tablist" is not announced as a group of related tabs, which prevents screen reader users from recognizing the structure and purpose of the component. This makes it harder to navigate between tabs and understand that the controls belong to a single set. | No       | 0         | 0        |       |

| #  | Element                                                                                                                            | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 49 | Applying role="tablist" to an element without tabs misleads screen reader users by suggesting a group of tabs that does not exist. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 50 | Custom tabs must be explicitly defined for screen readers since there are no native HTML tab elements. Without assigning <code>role="tab"</code> to the interactive elements, assistive technology will not identify them as tabs, preventing users from understanding their function or navigating them as part of a tab interface. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 51 | Applying <code>role="tab"</code> to an element that is not part of a functioning tab interface misleads screen reader users by presenting it as a tab without a corresponding panel. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 52 | The <code>role="tabpanel"</code> identifies an element as the content region of a tab interface. Without this role, panels are exposed only by their native role (such as a generic <code>div</code> or a named section) and screen reader users may not perceive them as part of the tab structure. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 53 | Applying role="tabpanel" to an element without a corresponding tab misleads screen reader users by announcing it as tab content, even though no controlling tab exists. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 54 | If a column header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 55 | If a table header cell is empty, screen reader users may only hear a generic label such as "column 3" or nothing at all. This makes it harder to understand what each column or row represents. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 56 | When a layout table is marked up with HTML elements like <table> or <tr>, or assigned table ARIA roles, screen readers announce a data table structure with rows, columns, and headers, even though the table is only used for page layout. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 57 | Nested tables are often misinterpreted by screen readers, making it hard for users to follow the intended structure and meaning of the data. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 58 | If a table row header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell. | No       | 0         | 0        |       |

**WCAG Best Practices (Not included in score)**

| # | Element                                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 1 | If an element's aria-describedby attribute points to an id that does not exist or is not valid, assistive technologies will not convey the intended description, causing users to miss important context. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 2 | Since aria-labelledby relies on valid id references, screen readers can only announce the label if the target exists. If the id is missing or invalid, the label will not be conveyed, causing users to miss important context. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 3 | Figure elements are often incorrectly used to display images on the screen. Incorrectly using the figure tag, without providing a proper figcaption, adds unnecessary clutter to the screen reader user's experience. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 4 | The title attribute is announced inconsistently across screen readers and browsers, making it unreliable for labeling interactive controls. Because many users may never hear the content, reliance on the attribute risks loss of information. Instead, it should be used to provide extra help text in addition to a valid label. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                         | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 5 | The element's aria-controls points to an id that does not exist, or is not valid, breaking the link between the controlling element and the content it manages. | No       | 0         | 0        |       |

| # | Element                                                                                                          | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 6 | It's good practice to warn users about the expected behavior when activating a link triggers an image to appear. | No       | 0         | 0        |       |

| # | Element                                                                                                          | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 7 | It's good practice to warn users about the expected behavior when activating a link triggers a mail application. | Yes      | -         | Fail     | 0     |

#### Code snapshots of failed elements

```
1 <a data-auto-recognition="true" href="mailto:hello@healidaho.com" class="wix ui-rich-text__text">hello@healidaho.com</a>
```

| # | Element                                                                                                    | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links. | Yes      | Pass      | -        | 100   |

Code snapshots of successful elements

1

```
<footer id="SITE_FOOTER" class="xU8fqS SITE_FOOTER wixui-footer" tabindex="-1"><div class="_C0cVf"><div class="_4XcTfy" data-testid="screenWidthContainerrBg"></div></div><div class="U4Bvut"><div class="G5K6X8"><div class="gUbusX" data-testid="screenWi...
```

| #  | Element                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 10 | When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <footer id="SITE_FOOTER" class="xU8fqS SITE_FOOTER wixui-footer" tabindex="-1"><div class="_C0cVf"><div class="_4XcTfy" data-testid="screenWidthContainrBg"></div></div><div class="U4Bvut"><div class="G5K6X8"><div class="gUbusX" data-testid="screenWi...
```

| #  | Element                                                                                                                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 11 | Each page should normally include only one contentinfo landmark (usually the site footer) to keep landmark navigation simple and predictable. Additional contentinfo landmarks are permitted when clearly justified, but they must each have a unique accessible label. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 12 | Assigning a valid ISO language value to the <html> lang attribute ensures that screen readers use the correct pronunciation rules, browsers apply proper spell-checking and translation, and search engines index the content in the appropriate language. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <html lang="en" style=""><head> <meta charset="utf-8"> <meta name="viewport"
  content="width=device-width, initial-scale=1" id="wixDesktopViewport"> <meta
  http-equiv="X-UA-Compatible" content="IE=edge"> <meta name="generator" conte
  nt="Wix.com Website ...
```

This audit is subject to the [Terms of Service](#)